Preparing for University Calculus

Prepared by the APICS Committee on Mathematics and Statistics

Edited by Robert Dawson May 9, 2007

Disclaimer: This booklet is intended to give prospective students an idea of what a typical introductory calculus course at a university in the Atlantic region is like. Readers should note, however, that there are differences between calculus courses at different universities, and even within universities.

There is much important material in high school mathematics courses that is not reviewed in this booklet - to name only a few topics, probability, linear algebra, and coordinate geometry of conic sections. Omission of a topic from this booklet is not intended as an indication that it is of lesser importance than other topics.

This booklet is not intended as a textbook or achievement test. Moreover, we do not advocate any particular method of teaching the material contained herein.

Please send all error reports and suggestions for improvement to

©2002 by the Atlantic Provinces Council on the Sciences Mathematics and Statistics Committee
This booklet may be freely reprinted for educational and private use. For details see page 9.
2

1 Abo

1.1 What math will I need in university?

The answer to this depends on what you are taking, and you should check with the university or universities that you are thinking of attending. As a general rule, however, if you are planning to get a degree in science, you will probably need one or more courses in calculus (some universities permit programming or statistics instead in some cases . If you are taking courses in the social sciences or life sciences, you will probably need one or more courses in statistics; and degrees in physics, engineering, astronomy, mathematics, or computing science (and some

by $1 \ 2^{\frac{1}{2}}$. iven such an expression, calculus allows us to nd expressions for the integral and derivative of the function, when they exist.

1.3 Why is calculus important?

n the sciences, many processes involving change, or related variables, are studied. If these variables are linked in a way that involves chance, and significant random variation, statistics is one of the main tools used to study the connections. But, in cases where a deterministic model is at least a good approximation, calculus is a powerful tool to study the ways in which the variables interact. Situations involving rates of change over time, or rates of change from place to place, are particularly important examples.

Physics, astronomy, mathematics, and engineering make particularly heavy use of calculus; it is di-cult to see how any of those disciplines could exist in anything like its modern form without calculus. However, biology, chemistry, economics, computing science, and other sciences use calculus too. Many faculties of science therefore re-uire a calculus course from all their students; in other cases you may be able to choose between, say, calculus, statistics, and computer programming.

t should be understood that there is more to mathematics than calculus. Linear algebra, probability, geometry, and combinatorics are just some of the other branches of mathematics, introduced in schools, that are important at the unversity level. And problem-solving skills, which cut across all branches of mathematics, allow the mathematics to be applied to other subjects.

1.5 What is taking university calculus like?

You will probably nd that university calculus is faster-paced than your high-school courses. At most universities the lecture sections will be bigger possibly over a hundred students and the professor will not be able to slow the class to the pace of the slowest students. You and you alone will be responsible for handing work in on time, and for being present for classes, tests, and exams.

This is not a course that can be passed by just memori ing everything you have to understand it. This won't happen instantly, and the instructor cannot make it happen you have to do that yourself, and be an active participant in the course. If you make this effort consistently through the term, you will not that it pays off.

The course material consists of a rather small number of big ideas, and a moderate number of formulae you will need to know, not hundreds of short cuts and

center person, etc. what it is that you don't understand. ("Everything is not helpful. On the other hand, do not go along demanding that the instructor tell you how to answer uestion .11 and refusing to listen to any explanation of why it's done that way.

• Finally, your knowledge will be tested on ui es, midterms, or nal examinations. The exams will probably make up the majority of your grade.

If you have handed in copied, half-understood assignments, you will lose more marks at exam time than you gained in the short term. But if you kept up with the lectures and assignments, making sure you understood each bit before going on, you will probably do well.

f you nd yourself falling behind, you will have to catch up. Don't panic - catching up is not impossible. There are various resources to help.

- Yourself. f you are falling behind and not putting plenty of time in studying say ve or six hours outside class per week for each course the solution may be as near as your desk and textbook.
- Your textbook contains hundreds of worked examples, and thousands of problems. Usually, about half of the problems have answers in the back of the book; and you may be able to buy a study guide that shows the working of those problems in more detail. You can also get other books such as "Schaum's Outline of Calculus," containing more worked problems.
- Your instructor will have **office hours** during which you can go for help. Try

Your university or student union may well have workshops on effective studying, effective note-taking, exam nerves, etc. There will also be counselling available for other problems that might interfere with your study.

1.6 HELP! I have to write a placement test!

Many Atlantic-area universities have found that incoming students are not uniformly well-prepared for calculus. Many students are very well prepared, and ready to start the usual calculus curriculum; but some are not. As a result, placement tests are common, and at some universities, if you do not pass the placement test, you will be re uired to take a remedial course covering important material from the high school curriculum **before you can take calculus**. At other universities you may just be advised to take the remedial course, or allowed into a slow-moving section that takes two semesters to cover the rst semester's material.

This is to stop students from starting calculus without ade uate preparation and then falling behind and failing. Experience has shown that most students who start calculus without ade uate preparation do fail.

Some sample uestions for one such placement test may be found at http://conway.math.unb.ca/Placement/. Some harder uestions, to help you see if you're *really* ready, are at http://www.math.unb.ca/ready/exercise.html.

1.7 HELP! They want to take my calculator away!

n some rst-year calculus courses, calculators are not permitted. To be exact, they do not permit them in the pretest, tests, or exams; you can certainly have one in the lecture if you want, or use one for your homework. no other introductory calculus courses, calculators or computers are used intensively to explore the behaviour of functions. You should not out the policy at the university you plan to attend!

ullet f your calculus course has a no-calculator policy, the uestions will be de-

60 0

Getting a copy free

Please note, this is the truly cool way to get this booklet (and saves us time .

n this section, we present over 1 — uestions that cover the absolute minimum of mathematical skills that you will need for university calculus. — e give worked answers for a few; the answers to the rest are in the back of the booklet.

There are important topics in high school mathematics that are not covered here, and there may even be some things you'll need for calculus that we have missed. A good student should be able to answer signi cantly more challenging problems than these. However, if you understand all of this material, you will be reasonably well prepared for calculus.

3.1 Arithmetic

You should be able to do basic arithmetic without a calculator, including operations on fractions, negative numbers, and decimals. You should be able to compute simple powers and roots. This material, which is from the elementary and junior high school curriculum, is fundamental for everything that follows. Also, many arithmetic problems are really "algebra with numbers".

Examples:

1. Find
$$\frac{1}{3} + \frac{2}{3}$$
.

Solution: To add (or subtract fractions, you must rst nd a common denominator:

$$\frac{1}{3} + \frac{2}{3} + \frac{1 \cdot \dots}{3 \cdot \dots} + \frac{2 \cdot 3}{3 \cdot 3} + \frac{1}{1} + \frac{11}{1}$$

2. Convert 1

- 1. Find $\frac{2}{3} + \frac{3}{4}$
- 2. Find $\frac{3}{2} \frac{1}{2}$
- 3. Find $\frac{1}{3} \times -$ in lowest terms.
- . Convert $3\ 12$ to a fraction in lowest terms.
- . Convert 3 2 to a decimal.
- . Convert 1 10 to a decimal.
- . Find $0.0001 \times 0.01 \cdot 0.001$
- . Find 1 23×0 1
- 9. Find $1\ 00 + 9\ 99$
- 10. Find 1 (-2)
- 11. Find $\sqrt{}$
- 12. Find 20^3 20^5 as a decimal.

3.2 Basic Algebra

As observed above, basic algebra is closely related to arithmetic, and many of its rules are familiar as "rules of arithmetic,". You should be aware that \times may be written as

You should know the basic rules for addition, subtraction, multiplication, division, and exponents, and be aware of the operations such as division by 0 and taking the s uare root of a negative number that cannot be done within the real number system.

You should know how to solve a simple e uation, simplify an algebraic expression, and evaluate an expression by plugging values into it. All of these will be very important when you take calculus.

Examples:

1. Simplify $\frac{7 \ 3}{4 \ 4}$.

Solution: By basic rules of exponents

$$\frac{7\ 3}{4\ 4}$$
 $7-4\ 3-4$ $3\ -1$ $\frac{3}{}$

2. Solve + 2 - for x when

Solution: Substituting and adding, subtracting and dividing like uantities on both sides of the e uation we reduce to an e uation which is its own solution:

so -3

- 1. Simplify (4 2 2
- 2. Simplify + , factoring if possible .
- 3. Simplify $\frac{\frac{y}{x} + \frac{1}{2}}{\frac{2}{x}}$.
- . Simplify ($^2+$ $^3+$ 4 , factoring if possible.
- . Solve 3 + 2 + 2 for x.
- f and , nd $^2 +3$.
- . Simplify $\frac{2-(-2)}{2}$
- f and 2, nd -2+2
- 9. Solve ${}^5+2+3$ ${}^5-$.
- $10. \int f$ 3 and 1, nd.
- 11. Simplify (2 $^{-2}$ ($^{-2}$ 2 .
- 12. Solve + + 2 + .

3.3 Inequalities and absolute values

Examples:

1. Solve

 $1._{\int} f$, \geq , and

- 1. f ($\,$ 1 $\,$, $\,$ nd the largest possible domain (within the real numbers $\,$ on which $\,$ could be de ned.
- 2. $_{ \mbox{\scriptsize 1}}$ f ($\phantom{\mbox{\scriptsize 1}}$ ($\phantom{\mbox{\scriptsize +1}}$, $\phantom{\mbox{\scriptsize nd}}$ the domain of $\phantom{\mbox{\scriptsize .}}$
- $3._{1} f$ ($^{2} + 2$, nd (1 +
- f (2 , nd the range of .
- . Find the domain and range of f(x $\begin{tabular}{c} \begin{tabular}{c} \begin{tabular$
- $\frac{1}{1+1}$, nd (a (2 ; (b (-2; (c ($\sqrt{}$).
- $_{1}$ f (1 and (2 , nd ((
- $_{1}$ f (1 and (2 , nd ((2
- 9. $_{1}$ f (1 (+1 , nd ((
- 10. $_{\mathbf{1}}$ f ($^{-3}$, nd the inverse function.
- 11. hich of the following functions is its own inverse:
 - (a (2, (b (, (c ((d each of , and (e and only
- 12. hich of the following functions has an inverse function
 - (a ($3, (b \ (\ \ ^5, (c \ ($ (d each of , and (e and only
- 13. Finds the inverse of $\left(\frac{+1}{2+1}\right)$.

3.5 Polynomials

You should know how to add, subtract, multiply, divide, and factor polynomials. You should know special forms such as the difference of powers. You should understand the connection between roots and factori ations, and be able to solve a

- 1. Solve: $^{2} + 3 = 0$.
- 2. Factori e $2^{-2} + + 2$.
- 3. Put $^2+2$ +2 in completed s uare form, and graph it.
- . Simplify: ($^2+3$ ($^2+-^4.$
- . $\int_{1}^{4} f$ we divide $f^{4} + g^{3} + g^{2} + g^{2} + g^{2} + g^{3} + g^{4} + g^$
- . Expand: ($+2^{4}$.
- . Expand and simplify: $\frac{(+1^3-(-1^3}{}$
- . Expand and simplify: $\frac{(+1^3+(-1^3}{}$
- 9. Expand: $(^2 1 (^2 + 1)^2 + 1)$
- 10. How many real solutions does $^4 ^2+$ 0 have
- 11. Factori e: $^4 13^{-2} + 3 = 0$

3.6 Algebra with Fractions

You should be able to simplify a fractional expression, convert a "stacked fractional expression into a simple one, put fractional expressions over a common denominator, and perform a partial fraction expansion. These skills will be useful in nding various derivatives, simplifying derivatives and integrals, and in particular for the "partial fractions" techni ue of integration.

Examples:

1. Simplify $\frac{(-1)^2 + 1}{+1}$.

2. Simplify $\frac{\frac{x-1}{x-2} - \frac{x-2}{x-1}}{2}$.

Solution: $\frac{\frac{x-1}{x-2} - \frac{x-2}{x-1}}{3} = \frac{\frac{x-1}{x-1} \cdot \frac{x-1}{x-1} \cdot \frac{x-2}{x-2}}{\frac{x-1}{x-1} \cdot \frac{x-2}{x-2}} = \frac{(2-1-(2-1))^{2}}{(+1)^{2}}$

3. Expand $\frac{2+1}{2-1}$ in partial fractions.

Solution: $\frac{2+1}{2-1}$ $1+\frac{2}{2-1}$ $1+\frac{2}{(+1(-1))}$.

e want to write this as $1+\frac{A}{x-1}+\frac{B}{x-1}$ for suitable A. Putting the fractions over a common denominator, we have A(-1+(+1-0+2; so A-1, 1, and

 $\frac{2+1}{2-1}$ $1-\frac{1}{+1}+\frac{1}{-1}$

.

- 1. Simplify $\frac{1}{-+1} \frac{1}{-1}$.
- 2. rite +1+1 +1 2 in the form (where P, are polynomials.
- 3. Simplify $\frac{+1}{+3}$ –

3.7 Rationalizing numerators or denominators

You should know how to eliminate s uare (and other roots from the numerator or denominator of a fraction by multiplying both the numerator and denominator by an appropriate expression. This techni ue will be important in nding the derivatives of certain expressions involving roots.

Examples:

1. Rationali e the denominator of $\frac{1}{\sqrt{}}$ Solution: By multiplying both numerator and denominator by $\sqrt{}$ we obtain

$$\frac{1}{\sqrt{}}$$
 $\frac{1}{\sqrt{}}$ $\frac{\sqrt{}}{\sqrt{}}$

2. Rationali e the denominator of $\frac{1+\sqrt{}}{2+\sqrt{}}$

Solution: Recall, when we multiply (+(-) we obtain a difference of s uares $^2-^2$. So, if the denominator of a rational expression contains a constant added to a s uare root term, we can eliminate the root term by multiplying by the difference of the constant and the root term. $_{\P}\, n$ this case if we were to multiply both the numerator and the denominator by $2-\sqrt{}$


if we were to multiply both the numerator and the denominator by
$$2-\sqrt{2}$$
 we will obtain the desired result.
$$1+\sqrt{2} \qquad \text{ and } 1+\sqrt{2} \qquad$$

- 1. Rationali e the denominator of $\frac{+1}{\sqrt{}}$
- 2. Rationali e the denominator of $\frac{1}{\sqrt{3}}$
- 3. Rationali e the denominator of $\frac{1}{\sqrt{} + \sqrt{}}$
- . Rationali e the denominator of $\frac{-\sqrt{}}{-\sqrt{}}$
- . Rationali e the denominator of $\frac{1}{1+\ ^{1/3}+\ ^{2/3}}$
- . Rationali e the numerator of $\frac{\sqrt{}+\sqrt{}}{}$
- . Rationali e the numerator of $\frac{-\sqrt{}}{-\sqrt{}}$
- . Rationali e the numerator of $\frac{\sqrt{+1}-\sqrt{}$
- 9. Rationali e the numerator of $\frac{\sqrt[3]{+} \sqrt[3]{}}{}$

3.8 Linear Graphs

You should be able to graph linear functions and ine ualities, determine the slope

- 1. Find the slope of the line 2-2
- ive the e untion of a line with slope 3, through $(0 \ 0)$.
- 3. $_{1}\,\mathrm{f}\;\mathrm{a}$ line has slope 3–2 and passes through (2–2 , give its e–uation.
- . Find the distance from the point (0 $\,3\,$ to the point (3 $\,0\,$
- . Find the slope of the line through the points $(0\ 3\ \text{ and } (3\ 0\ .$
- . Find the point of intersection of the lines
- . Find the e uation of the line with slope $-1\ 2$ and $\ \ \ \ \$ -intercept 3
- . Find the slope of a line orthogonal to the line
- 9. Find the e uation of the line through (3 2 and (1 0
- 10. hich ine uality is this the graph of



- 2 (b +2(c +2(d2 (a (e
- hich of these lines is parallel to 2 -1

12. hich of these lines is orthogonal to

(a
$$-3 - 1$$
 (b $-3 + 1$ (c $3 + 1$)
(d $3 + 2$ (e $1 - 3$)

Solution: (f . raph B does not have a uni ue value for every , and the

1. Simplify
$$\frac{\sqrt{} \times ^2}{1^{-2}}$$

2.
$$\int_{0}^{a} f^{-3/2} e^{-2} \sqrt[3]{a}$$
, what is

3. Solve:
$$x^2$$

3. Solve:
$${}^{x}2^{x}$$
 . Solve: ${}^{0}+2^{x}$ 9.

Find
$$\left(\frac{1}{\sqrt{1}}\right)^{1/2}$$

, for real numbers , which of the following must hold (a
2
 (b $^{-}$ 2

3.11 Logarithms

Logarithms are extremely important in many of the sciences, and it is important to be able to differentiate and integrate expressions using them. To do that, you have to be able to manipulate logarithms algebraically.

You should know the de nition of logarithms to various bases, their relation to powers and roots, and the change-of-base formula $\log_a(\ \log_b(\ \log_a(\ .\ hile\ \log_a thms\ appear\ tricky\ at\ rst$, there are actually not very many things to learn about them.

Examples:

1. Find $\log_5(12)$.

- 1. Find $\log_{10}(0~001$.
- 2. Find $\log_2($ + $\log_3(9)$
- $3 \cdot \int_{a}^{b} f 3^{x}$, which is true $\log_{x}(3)$ (b

3.12 Geometry and basic trigonometry

Calculus does not use very advanced geometry, but you should be thoroughly familiar with similar triangles, Pythagoras' theorem, and parallel lines; and, from analytic geometry, the midpoint and distance formulae, and the "negative reciprocal," rule. Trigonometry is important in various branches of science, but especially in mathematics, physics, and engineering.

You should be able to convert between degrees and radians (1 0° π radians . You should know the de nitions of the trig functions, and be able to use them to nd sides and angles of triangles. You should know and be able to use the sine and cosine laws for triangles.

Most angles do not have trig functions that are easy to give as exact expressions rather than decimal approximations (and you will not be expected to do so, but you should know the trig functions of a few common angles, such as 0° , 30° , $^{\circ}$, 0° , and 90° . You should also know how to nd the trig functions of angles outside the range 0° 90° in terms of trig functions of angles in that range.

Problems:

$$(\ , \ (d \cos(\ , \ (e \ 1$$

$$. \ f \cos(\) \ \sqrt[7]{2} \ 2, \ then \ \tan(\)$$

$$(a \ 2 \ (b \ 1 \ (c \ 0 \ (d \ 1 \ 2 \ (e \ \pm 1$$

$$. \ f \tan(\) \ 3, \ then \ \cot($$

- 1. If the area of a triangle is 100 cm^2 and its base is e ual to twice its height, what is its base (a cm (b 10 cm (c 20 cm (d 0 cm (e 200 cm
- 2. f the perimeter of a rectangle is 2 meters, and the diagonal is 10 meters, what is the area
- 3. If the perimeter of a rectangle is 2 meters, and the area is 30 s usre meters, what is the diagonal
- . A right triangle has area $30 \mathrm{\ s}$ uare meters and perimeter $30 \mathrm{\ meters}$. hat is its hypotenuse
- f a goat can eat the grass on a lawn in 1 day and a sheep can eat the grass on the same lawn in 2 days, how long would it take two goats and a sheep working together Assume the grass is not growing.
 - (a 2 of a day (b 3 of a day (c 1 day (d 2 days (e days
- . oe started day trading with a certain amount of money. On the $\,$ rst day he doubled his money, and on the second day he lost 2/3 of what he had at the end of the $\,$ rst day. At the end of the second day he had $\,$ P 100. How much did he start with
 - (a \$\mathbb{P}\) 0 (b \$\mathbb{P}\) (c \$\mathbb{P}\) 0 (d \$\mathbb{P}\)12 (e \$\mathbb{P}\)133.33 (f \$\mathbb{P}\)1 0
- . \int f a puppy weighs a third as much as a dog, and together they weigh 12 kg., how much does the puppy weigh
- . A driver is driving 100 km. She drives the rst 0 km at 0 km/hr and the second 0 km at 1 0 km/hr. How long does the trip take (a 30minutes (b 0 minutes (c 0 minutes (d 0 minutes (e 90 minutes
- 9. The towns of Ayton and Beaton are 0 km apart. At noon, Alice leaves Ayton and drives to Beaton at 0 km/hr, and Bob leaves Beaton and drives (on his tractor to Ayton at 0 km/hr. At what time do they meet
- 10. The towns of Ayton and Beaton are 0 km apart. At noon, Alice leaves Ayton and drives to Beaton at 90 km/hr. f Bob rides from Ayton to Beaton on his bicycle at 1 km/hr, when must he leave Ayton to get to Beaton at the same time that Alice does

3.14159265358979... Harder Problems

The material earlier in this booklet represents the minimum that you need to know before you begin university calculus. e hope that it won't be all that you know! You should also know something about linear algebra, geometry, statistics, and other areas of mathematics; you should have experience applying mathematics in other subjects; and you should be able to write clear explanations of what you know, and solve problems that re uire a certain amount of lateral thinking. In this section, we present some problems intended to challenge the stronger student. Such students may also want to look for problems in publications such as Crux Mathematicorum, or compete in mathematics contests.

Answers to these uestions are *not* given.

1. Find all solutions to

- 9. hich is larger, 100^{200} or 200^{100} Explain your answer.
- 10. For 123 we de ne $4 \times (-1 \times \cdots 3 \times 2 \times 1)$. (This is pronounced factorial, and is important in combinatorics, probability, and other areas of math. .
 - (a Find ✓ I for ✓ 3
 - (b How many 0's does 1001 end in
- 11. By using Pythagoras' theorem and elementary geometry, $\rm ~nd~sin(30^{\circ}~, sin(~~^{\circ}~, and~sin(~0^{\circ}~.$
- 12. Determine $\sin(1 \, \circ \, \text{and } \sin(\, \circ \, .$
- 1 . A rhombus has the edge length e ual to its short diagonal. Find the area in terms of the length of the lonq diagonal.
- 1 . A river runs straight east and west. A horse and rider are km north of the river. The rider could get to camp by riding 2km south and then 2km west, but the horse needs to get to the river to drink, too. hat is the shortest distance that the horse and rider must travel to get rst to the river and then to the camp
- 1 . The decimal expansion of $1\ 3,\ 0\ 333$, repeats with period 1; and that of 1 , $0\ 1\ 2$ $1\ 2$ repeats with period . Find fractions whose decimal expansions repeat with periods 2, 3 and . Can you nd the smallest denominators that work
- 1. Show (without calculus that for any positive , we always have

$$\frac{+}{2} \geq \sqrt{-}$$


.

Answers to problems:

Section 3.1 (1 $\frac{1}{15}$ (2 $\frac{11}{20}$ (3 $\frac{2}{5}$ ($\frac{25}{5}$ (1 (1 (0 001 (0 123 (9 11 0 (10 3 (11 (12 0 002) Section 3.2 (1 4

Section 3.12 (1 90° (2 e (3 c (d (a ($-1\sqrt{2} \text{ or } -0 0$ (° ($\sqrt{3}$ (9 π 1 0 or π 12 (10 c (11 c (12 1 $\sqrt{3}$ (13 b (1 d Section 3.13 (1 e (2 c (3 e (e (b (c (b (-2 (9 c (10 a Section 3.14 (1 c (2 2 m^2 (3 $\sqrt{109}\,\text{m}$ (13 m (a (f (3 kg (d (9 12:30 PM (10 : 0 AM

Some useful facts:



Getting a copy free

Please note, this is the truly cool way to get this booklet (and saves us time .

• This document may be downloaded in Adobe PDF or PostScript format from the eb, at our website

http://cs.smu.ca/apics/calculus/welcome.php .

This site also contains links to free software that will allow you to display and print the document.